TABLE-TOP CUTTERS

robot Ø coupe°

R4 V.V.

A

C



SALES DESCRIPTION

The R4 V.V. table-top cutter is ideal for grinding, mincing and kneading, as well as for making mousses, emulsions and smooth stuffings. It effortlessly performs even the lengthiest task in just a few minutes, consistently producing a flawless end product.

B TECHNICAL DESCRIPTION

R4 V.V. table-top cutter. 230V/50Hz/1ph. Power: 1,000 W. 300 3,500 rpm variable speed. 4.5-l stainless-steel bowl with handle, plus bowl-base, smooth-edged, twinblade assembly. 10-50 covers.

Select the options you want from the list in Section **F** overleaf.

TECHNICAL CHARACTERISTICS

Effective output	1,000 W
Electrical data	230V/50Hz/1ph 10 A – plug supplied
Variable speed	300-3,500 rpm
Size (L x W x H)	226 x 304 x 460 mm
Recyclability	95%
Net weight	15 kg
Reference	22443

EN 12100-1 and 2 - 2004, EN 60204-1 - 2006, EN 12852, EN 60529-2000 - IP55 - IP34

D Number of meals per service	10-50 covers
Amount processed per	0.3-2.5 kg

PRODUCT CHARACTERISTICS

MOTOR UNIT

E

- Industrial direct-drive (no belt) induction motor designed for intensive use
- Power 1000 W
- Stainless-steel motor shaft
- All-metal motor base
- Magnetic safety system, thermal failsafe and motor brake
- Variable speed 300 3,500 rpm
- Pulse function for greater cutting precision

CUTTER FUNCTION

- 4.5-I stainless-steel cutter bowl with handle for better grip
- **Bowl-base blade assembly** with two high-strength, stainless-steel, smooth-edged blades for homogeneous processing even for small amounts
- Central lid opening for adding liquid or solid ingredients during processing
- High heat- and shock-resistant see-through lid to monitor processing from start to finish
- All parts are dishwasher-safe and can easily be removed for cleaning

STANDARD ATTACHMENTS

- 4.5-I bowl with lid
- Blade assembly with two smooth-edged, stainless-steel blades and a detachable cap

TABLE-TOP CUTTERS

robot @ coupe°

R4 V.V.

F


OPTIONAL ATTACHMENTS

- Coarse-serrated, twin-blade assembly for grinding and kneading Ref. 27346
- Fine-serrated, twin-blade assembly for chopping herbs and grinding spices Ref. 27345
- Additional smooth-edged, twin-blade assembly Ref. 27344





ELECTRICAL DATA

230 V / 50 Hz / 1 ph – power cord and plug supplied









R4 V.V.

G