

Food Preparation Machines Made in Sweden

Vertical Cutter/ Blender VCB-61/62

- Chops and grinds meat, fish, vegetables, fruits, nuts, etc.
- Blends and mixes sauces, soups, dressings, desserts, etc.
- Table top with robust design.
- Volume 6 litres.



111



Powerful machine for the pros

HALLDE's VCB is the industry's primary vertical cutter/blender. Its unique functions for quick preparation and its robust quality make it ideal for all professional kitchens from private restaurants to public sector catering operations.

High capacity with smart lid

The six litre bowl has a tightly sealing lid and an extra high centre tube. This increases the net volume for liquid ingredients to 4.3 litres. The lid has a 5 cm wide feed tube for filling while the machine is running.

Adapted speeds

You can run the VCB-62 at two speeds; 1.500 rpm for gentle preparation and better control when chopping, and 3.000 rpm for rapid mixing or blending of sauces or minced meats. The VCB-61 has the lower speed. The VCB also has a direct action pulse function. This pulse function provides direct access to 1.500 rpm without any irritating time delays.

User friendly ergonomics

You control the machine using one knob instead of several buttons. The knob is located on the left hand side allowing your right hand to remain free for filling. The knob is at a convenient height to ensure an ergonomic working posture.

Only the best material

The machine base is manufactured of robust metal. The bowl is stainless steel. The lid and scrapers are strong xylex. The knife attachment is of high-quality aluminium and the knives are stainless steel.

Developed for the best hygiene

The VCB is manufactured solely from hygiene certified material. The machine has smooth surfaces, rounded edges and has no unnecessary recesses where food might penetrate and get stuck. The machine base has a drainage hole to prevent water accumulating on the top. For rapid cleaning, all loose components are easy to remove making the machine easy to rinse. You can wash all removed components in

Highest operational reliability

VCB's powerful motor has a high torque during start-up and when in service, and powers the direct-driven cutter. No belts or intermediate connections. This makes the VCB an exceptionally reliable machine - irrespective of the foods you are working with.

The motor has a mechanical brake that means the motor and thereby the knife unit stops rotating immediately when the safety arm is removed. VCB's motor also has thermal protection that stops the motor from overheating.



The VCB knife unit is totally unique and has a patented design. Instead of the customary two knives, this vertical cutter has four. The two large knives cut the ingredients while the two small turning knives push the ingredients down onto the cutting knives and turn them. This cuts preparation time considerably and ensures more even results. The cutting knives are serrated in order to maintain their sharpness longer.

When you prepare food in a vertical cutter there is a risk of heat due to friction from the knives. The shape of the knife unit helps minimize this effect.

Exemplary safety features

The VCB has three individual safety switches. You can only start the machine if the bowl, lid and safety arm have been correctly fitted. The VCB has a mechanical motor brake, which means the knife stops rotating immediately when you switch off the machine. As the motor brake is mechanical. it also works in the event of electrical faults or power failures.

111

Patented scraper

The VCB has a scraper system designed to

prevent food getting stuck on the inside and

the lid of the bowl, where the knives are unable

to reach. The scraper arms keep the lid and the

inside of the bowl clean. At the same time they

move the ingredients back towards the knives.

VCB's scraper system has four arms. It is a paten

ted function that means that the rotation of the

ingredients in the bowl is effectively stopped

and they are moved back towards the knives.

This accelerates the preparation time signifi-

cantly and reduces heat release in the bowl.



VCB-61/62 Results





Fish mousse

Dessert





Minced meat





Herb oil



Aromatic butter





Mayonnaise

Dressing



the dishwasher.

Perfect and even results every time

We can confidently claim that VCB's results are the best you can achieve from a vertical cutter. The reason for this is the way in which the bowl, scraper and knife unit work together.

- 1. When the knife unit rotates, the large cutting knives cut up the ingredients while pressing them forwards and out towards the side of the bowl.
- When the ingredients reach the edge of the bowl, their rota-2. tion is stopped and the four scraper arms throw them back towards the knives.
- While the scraper keeps the ingredients away from the inside 3 of the bowl, the hexagonal shape of the knife unit forces the ingredients to bounce away from the middle.
- The smaller turning knives, which are unique to VCB, presses the ingredients down towards the cutting knives and turns them around ensuring the entire contents of the bowl are prepared equally and you get a more even result.

These functions allow you to shorten preparation time significantly and thereby reduce the heat release that may arise in the bowl.







Parmesan cheese





Pâté



Chocolate



Parsley



Thickening/Batter





O











Food Preparation Machines

Made in Sweden

Vertical Cutter/Blender VCB-61/62

- Unique knife unit with four knives that turn the ingredients around during preparation.
- Minimal rise in temperature during preparation.
- The tightly sealing lid increases the preparation volume of liquid ingredients to 4.3 litres.
- Four-armed scraper produces more even results.
- Machine base and knife housing are made entirely of metal and can withstand rough handling.
- Table top model, easy to put away and take out when needed with its two sturdy handles at the sides.
- All loose parts can be washed in the dishwasher.

Machine

- Motor: 1.5/0.9 kW. Two speeds (VCB-62), one speed (VCB-61). 110-120 V, single phase, 50-60 Hz. 230 V, single phase, 50 Hz. 230 V, three phase, 50-60 Hz. 400 V, three phase, 50 Hz.
- Transmission: Direct drive.
- Safety system: Three safety switches and mechanical motor brake.
- Degree of protection machine: IP34.
- Power supply socket: Earthed, 1-phase, 10 A alt. earthed, 3-phase, 16 A.
- Fuse: 10 A, delayed action fuse 230 V. 110-120 V 16 A.
- Sound level LpA (EN31201): <67 dBA.
- Magnetic field: Less than 0.1 microtesla.

Materials

- Machine base: Aluminium.
- Bowl: Stainless steel.
- Lid and scraper system: Xylex.
- Knife balk: Aluminium.
- Cutting knives: Stainless steel.

Volumes and dimensions

- Bowl volume: Gross 6 litres. Net liquids 4.5 litres.
- Feed tube diameter: 50 mm.

Knife unit

- Knife unit diameter: 230 mm.
- Speed VCB-62: 1500 and 3000 rpm.
- Speed VCB-61: 1500 rpm.

Type of preparation

- Chops, grinds, blends and mixes.
- · Prepares aromatic butters, dressings, desserts, herb oils, thickenings, mayonnaise, sauces, soups, minced meat, purées, pâtés, etc.
- Prepares meat, fish, fruit, vegetables, onions, parsley, nuts, almonds, parmesan, mushrooms, chocolate, etc.

Users

• Restaurants, shop kitchens, diet kitchens, bakeries, retirement homes, schools, fast food outlets, catering, day care centres, salad bars, pizzerias, ships, central kitchens, institution kitchens, etc.

Net weights


- Machine VCB-62: 25 kg.
- Machine VCB-61: 25 kg.
- Bowl complete: 2.6 kg.

Standards

- NSF/ANSI Standard 8.
- · Visit Hallde.com and select product and 'certification'







420

310

80

We reserve the rights to make changes in design and product range without notice

